

{tag}

{/tag}

International Journal of Computer Applications

© 2012 by IJCA Journal

Volume 40 - Number 8

Year of Publication: 2012

Authors:

L.R Sudha

Dr. R Bhavani

10.5120/4985-7248

{bibtex}pxc3877248.bib{/bibtex}

## Abstract

Gait based gender identification has received a great attention from researchers in the last decade due to its potential in different applications. This will help a human identification system to focus only on the identified gender related features, which can improve search speed and efficiency of the retrieval system by limiting the subsequent searching space into either a male database or female database. In this paper after preprocessing, four binary moment features and two spatial features are extracted from human silhouette. Then the extracted features are used for training and testing two different pattern classifiers k- Nearest Neighbor (kNN) and Support Vector Machine(SVM). Experimental results show superior performance of our approach to the existing gender classifiers. To evaluate the performance of the proposed algorithm experiments have been conducted on NLPR database.

**Refer**

**ences**

- H.Harb and L.Chen, 2003. Gender identification using a general audio classifier, In Proc. Int. Conf. Multimedia and Expo, Washington.
- B.A Golomb, D.T Lawrence and T.J Sejnowski, 1991. Sexnet:A neural network identifies

sex from human faces, Advances in Neural Information Processing Systems.

- B. Moghaddam and M.H Yang, 2000. Sex with Support Vector Machines, in NIPS.
- S. Baluja and H.A Rowley, 2007. Boosting sex identification performance, Int. J. Comput. Vision.
- G. Johansson, 1973. Visual perception of biological motion and a model for its analysis, Perceptron and Psychophysics.
- N.F Troje, 2002. Decomposing biological motion a framework for analysis and synthesis of human gait patterns, J. Vision.
- J.W Davis and H.Gao, 2004. Gender recognition from walking movements using adaptive three mode PCA, in Proc. Conf. Computer Vision and Pattern Recognition workshop, Washington.
- L.Lee, 2003. Gait analysis for classification, Technical report, MIT AI Lab.
- L.Lee, W.E.L Grimson, 2002. Gait analysis for recognition and classification in IEEE International Conference on Automatic Face and Gesture Recognition.
- X.Li, S.J Maybank, D. Tao, 2007. Gender recognition based on local body motions in IEEE International Conference on Systems, Man and Cybernetics.
- X.Li, S.J Maybank, S.Yan, D.Tao, D.Xu, 2008. Gait Components and their applications to gender recognition, IEEE Trans. Syst. Man. Cybern. Part.
- L.Cao, M.Dikman, Y.Fu and T.S Huang, 2008. Gender recognition from body, in Proc. 16th ACM Int. Conf. Multimedia.
- N.Dalal and B.Triggs, 2005. Histograms of oriented gradients for human detection, in Proc. IEEE Conf. Computer Vision and Pattern Recognition.
- Shiqi Yu, Tieniu Tan, Kaiqi Huang, Kui Jia and Xinyu Wu, 2009. A study on Gait-Based Gender Classification, IEEE Trans. On Image Processing.
- L.Wang, T.Tan, H.Ning and W.Hu, 2003. Silhouette analysis based gait recognition for human identification, IEEE transactions on Pattern Analysis and Machine Intelligence.
- Edward Guillen, Daniel Padilla, Adriana Hernandez, Kenneth Barner, 2009. Gait Recognition System: Bundle Rectangle Approach, World Academy of Science, Engineering and Technology.
- Rezaul K. Begg, Marimuthu Palaniswami, Brendan Owen , 2005. Support Vector Machines for Automated Gait Classification, IEEE transactions on Biomedical Engineering.

### Index Terms

Computer Science

Pattern Recognition

### Keywords

Gender Gait Binary moments Silhouette Visual Surveillance kNN SVM.